

Technical Data Sheet

Solvent

Sealing 7 Day Technical Support 1800 655 711

Testing Approvals: N/A

Description

Solvent is an aromatic hydrocarbon used as a general purpose solvent/diluent for solvent based acrylic resin solutions and as a clean up solvent for these and other solvent based systems.

Areas of Use

• Used as a diluent for solvent based acrylic resin systems:

Concrete paving sealer

 May be used as a clean up solvent for all Crommelin[®] solvent based products.

Slate sealer

Typical Properties

Boiling Point: 155 -180°C
Flash Point: 44°C approx (

Flash Point: 44°C approx (closed cup)
Appearance/Odour: Colourless, strong odour

Specific Gravity:

Vapour Pressure:

Solubility in Water:

0.87@ 25°C 1.7 kPa @ 38°C Below 0.1% mass

Precautions

- Solvent is a flammable aromatic solvent. Store in a cool place.
- Do not use in poorly ventilated, Keep container sealed when not in use.

Health and Safety

Safety Precautions

- Provide good ventilation open windows and doors and use circulating fans.
- If product is splashed on skin it should be washed off with water before it can dry.
- Avoid contact with skin and eyes.
- Wear gloves and eye protection during application.

First Aid

Swallowed: Contact a doctor or Poisons Information Centre. Do not induce vomiting. Give water to drink. Eye: Gently flush with running water, holding eyelids open for 15 minutes. Seek medical attention.

For detailed information refer to product label and the current Material Safety Data Sheet available from Crommelin®.

In the case of an emergency please call the Poisons Information Centre on 13 11 26





Technical Data Sheet

Solvent

Sealing

7 Day Technical Support 1800 655 711

Transport and Storage			
Sizes: Weights: Dangerous Goods Class	15L 15kg 3	Flash Point: UN Number:	43°C 1268

Disclaimer

Crommelin[®] and other marks followed by [®] are registered trademarks. Marks followed by the symbol of [™] are trademarks. Any advice, recommendation, information, assistance or service provided by Crommelin[®] in relation to its products or their use is given in good faith, however is provided without responsibility or liability. Customers need to undertake their own assessment to determine the suitability of a product for the particular use intended. As the performance of any product is subject to a wide variety of different surface types as well as environmental and surface-specific conditions, it is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs on the specific surface.